

# Supplement

Manual Title: i410/i1010 Instruction Sheet  
Part Number: 617677      Supplement Issue: **3**  
Print Date: Sept. 1996      Issue Date: 7/15  
Revision/Date: 2, 6/05      Page Count: 2

---

---

This supplement contains information  
necessary to ensure the accuracy of the  
above manual.

© 2009-2015 Fluke Corporation. All rights reserved.

**FLUKE**®

## Change #1, 51505, 513

Under **Safety Information**, add:

- Do not use around explosive gas or vapor.
- Do not use in a damp or wet environment.
- Do not use a current measurement as an indication that a circuit is safe to touch. A voltage measurement is necessary to know if a circuit is hazardous.
- Do not exceed the Measurement Category (CAT) rating of the lowest rated individual component of a Product, probe, or accessory.
- Limit operation to the specified measurement category, voltage, or amperage ratings.
- Do not use and disable the Product if it is damaged.

Under **Specifications**, replace Safety section with:

Safety	600 V, CAT. III, Pollution Degree 2, IEC 61010-1, IEC 61010-2-032
--------	--

## Change #2, 513

Replace the **Symbols** table, with:

Symbol	Meaning
~	AC (Alternating Current)
⏏	Earth ground
—	DC (Direct Current)
□	Product is protected by double insulation.
⚡	Application around and removal from HAZARDOUS LIVE conductors is permitted.
TÜV	Examined and licensed by TÜV Product Services.
⚠	WARNING - RISK OF DANGER. Consult user documentation.
⚠	WARNING. HAZARDOUS VOLTAGE. Risk of electric shock.
CE	Conforms to European Union directives.
CSA	Certified by CSA Group to North American safety standards.
♻	This product complies with the WEEE Directive marking requirements. The affixed label indicates that you must not discard this electrical/electronic product in domestic household waste. Product Category: With reference to the equipment types in the WEEE Directive Annex I, this product is classed as category 9 "Monitoring and Control Instrumentation" product. Do not dispose of this product as unsorted municipal waste.